

AURALUME

BY INNOVATIONS LIGHTING

Affordable Lighting with a Touch of Glass



CATALOG AL

CONCORD Collection

MATTE BLACK

3 GLASS CHOICES - 6"



341-1W-BK-G122-6
6" W x 10 1/2" H x 7 1/2 EXT
Shown with BB-60-A19

AL-1



AVAILABLE IN

1

FINISH

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

CONCORD Collection

3 GLASS CHOICES - 6"



341-2W-BK-G124-6
16" W x 10 1/2" H x 7 1/2" EXT
Shown with BB-60-A19




341-2W-BK-G122-6
16" W x 10 1/2" H x 7 1/2" EXT
Shown with BB-60-A19

ARM Detail



BACKPLATE Detail



341-3W-BK-G121-6
24" W x 10 1/2" H x 7 1/2" EXT
Shown with BB-60-A19



341-3W-BK-G124-6
24" W x 10 1/2" H x 7 1/2" EXT
Shown with BB-60-A19

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

AVAILABLE IN **1** FINISH



MATTE BLACK

AL-2

CONCORD Collection

MATTE BLACK

CANOPY Detail



3 GLASS CHOICES - 6"



3 GLASS CHOICES - 8"



6"



341-1S-BK-G122-6
6" DIA x 9 1/2" H
Shown with BB-60-A19

8"



341-1S-BK-G124-8
8" DIA x 10 3/4" H
Shown with BB-60-A19

ADDITIONAL CHAIN:
CK-1-BK (12" Section)



AL-3

AVAILABLE IN

1

FINISH


100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

CONCORD Collection

MATTE BLACK



3 GLASS CHOICES - 6"



341-6CR-BK-G122-6
32 1/4" LONG x 18" W x 9" H
Canopy Dimensions:
10" LONG x 4 1/2" W x 3/4" H
Shown with BB-60-A19

Reversible arm
(up or down)
on set-up before
first-time installation
of **341-6CR** or **341-8CR**.




341-8CR-BK-G124-6
48" LONG x 18" W x 9" H
Canopy Dimensions:
12" LONG x 4 1/2" W x 3/4" H
Shown with BB-60-A19

ADDITIONAL CHAIN:
CK-1-BK (12" Section)



341-5CR-BK-G124-6
30" DIA x 6" H
Shown with BB-60-A19



100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

AVAILABLE IN



FINISH

AL-4

FAIRBANK Collection

MATTE BLACK



342-1W-BK-CLW
5" W x 10" H x 7" EXT

Glass-in-Glass Design With
3" White Inner Glass & 4" Clear Outer Glass

AL-5



AVAILABLE IN **1** FINISH

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

FAIRBANK Collection

MATTE BLACK

ARM Detail



BACKPLATE Detail



342-2W-BK-CLW
12" W x 11 1/4" H x 7" EXT



342-3W-BK-CLW
20" W x 11 1/4" H x 7" EXT



342-4W-BK-CLW
27 3/4" W x 11 1/4" H x 7" EXT



342-6W-BK-CLW
48" W x 11 1/2" H x 7" EXT

Glass-in-Glass Design With
3" White Inner Glass & 4" Clear Outer Glass

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

AVAILABLE IN

1


FINISH



AL-6

FAIRBANK Collection

MATTE BLACK



342-3CR-BK-CLW
21 1/2" DIA x 21" H



342-5CR-BK-CLW
24 5/8" DIA x 21" H

ADDITIONAL CHAIN:
CK-1-BK (12" Section)



Glass-in-Glass Design With
3" White Inner Glass & 4" Clear Outer Glass



AL-7

AVAILABLE IN **1** FINISH

100 WATT DAMP LOCATION RATED UL/CUL LISTED.
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

FAIRBANK Collection

MATTE BLACK



342-1S-BK-CLW
5" DIA x 39 1/2" H



342-4I-BK-CLW
33 5/8" LONG x 4 1/4" W x 41" H
Canopy Dimensions:
8 5/8" LONG x 4 3/8" W x 3/4" H



CANOPY Detail



342-6I-BK-CLW
48" LONG x 4 1/4" W x 41 1/4" H
Canopy Dimensions:
12" LONG x 4 3/8" W x 3/4" H

Glass-in-Glass Design With
3" White Inner Glass & 4" Clear Outer Glass

ADDITIONAL CHAIN:
CK-1-BK (12" Section)



100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

AVAILABLE IN



FINISH

AL-8

PRESS Collection

MATTE BLACK



352-1W-BK-CL
4 1/2" W x 12 1/2" H x 6 3/4" EXT
Shown with BB-10T-LED

4" Diameter Clear Glass

AL-9



AVAILABLE IN


1

FINISH

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

PRESS Collection

MATTE BLACK



352-2W-BK-CL
16" W x 10 1/2" H x 6 3/4" EXT
Shown with BB-10T-LED



352-3W-BK-CL
24" W x 10 1/2" H x 6 3/4" EXT
Shown with BB-10T-LED



352-6W-BK-CL
42" W x 10 1/2" H x 6 3/4" EXT
Shown with BB-10T-LED


4" Diameter Clear Glass

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

AVAILABLE IN



FINISH



AL-10

ICE Collection

MATTE BLACK



353-1W-BK-CL
4 1/2" W x 10" H x 5 5/8" EXT
Shown with BB-60-A
(also available in BB-60-LED)

4" Diameter Clear Ribbed Glass

AL-11



AVAILABLE IN

1

FINISH

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.



353-2W-BK-CL
15" W x 9" H x 5 1/2" EXT
Shown with BB-60-A (also available in BB-60-LED)

ARM Detail



BACKPLATE Detail



353-3W-BK-CL
22" W x 9" H x 5 1/2" EXT
Shown with BB-60-A (also available in BB-60-LED)




353-6W-BK-CL
42" W x 8 3/4" H x 5 1/2" EXT
Shown with BB-60-A (also available in BB-60-LED)

4" Diameter Clear Ribbed Glass

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

AVAILABLE IN **1** FINISH



AL-12

COLDEN Collection

MATTE BLACK



354-1W-BK-CL
6" W x 13 1/4" H x 7 1/2" EXT
Shown with BB-8T-LED (Candelabra Base)

6" Diameter Clear Glass

AL-13



AVAILABLE IN

1

FINISH

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

COLDEN Collection

MATTE BLACK



354-2W-BK-CL
15" W x 10 3/8" H x 7 1/2" EXT
Shown with BB-8T-LED (Candelabra Base)



354-3W-BK-CL
24" W x 10 3/8" H x 7 1/2" EXT
Shown with BB-8T-LED (Candelabra Base)



354-6W-BK-CL
45" W x 10 3/8" H x 7 1/2" EXT
Shown with BB-8T-LED (Candelabra Base)


6" Diameter Clear Glass

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

AVAILABLE IN



FINISH



AL-14

SANDS Collection

MATTE BLACK



350-1W-BK-CL
6" W x 8 1/2" H x 7" EXT
Shown with BB-8T-LED (Candelabra Base)



350-2W-BK-CL
14" W x 8 1/2" H x 7" EXT
Shown with BB-8T-LED (Candelabra Base)

350-3W-BK-CL
24" W x 8 1/2" H x 7" EXT
Shown with BB-8T-LED (Candelabra Base)



350-6W-BK-CL
44" W x 8 1/2" H x 7" EXT
Shown with BB-8T-LED (Candelabra Base)

6" Diameter Clear Glass

AL-15



AVAILABLE IN



FINISH

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

SPAN Collection

MATTE BLACK



Adjustable cord can extend height of fixture up to 36" longer



351-1W-BK-CL
6" W x 11 3/4" H x 7" EXT
Shown with BB-8T-LED (Candelabra Base)



351-2W-BK-CL
15 3/8" W x 11 3/4" H x 7" EXT
Shown with BB-8T-LED (Candelabra Base)



351-3W-BK-CL
25" W x 11 3/4" H x 7" EXT
Shown with BB-8T-LED (Candelabra Base)

6" Diameter Clear Glass

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

AVAILABLE IN



FINISH

AL-16

PROVIN Collection

MATTE BLACK

SATIN NICKEL



370-1W-SN*-M
7" W x 12 3/4" H x 9" EXT

7" Pivot shade: These metal shades "Pivot" back and forth. The "Pivot" is limited to the length of the black cord that is exposed. To "Pivot" the shades you loosen the two metal knobs on either side of the arm, adjust the shades to the desired position and then tighten the metal knobs.

AL-17

*AVAILABLE IN **2** FINISHES

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

PROVIN Collection

MATTE BLACK

SATIN NICKEL



370-1S-SN*-M
7" DIA x 8" H
5" Canopy



370-2W-SN*-M
18 3/4" W x 12 3/4" H x 9" EXT



370-3W-BK*-M
28 3/8" W x 12 3/4" H x 9" EXT



370-3I-BK*-M
35 1/2" LONG x 7" W x 9 5/8" H

7" Pivot shade: These metal shades "Pivot" back and forth. The "Pivot" is limited to the length of the black cord that is exposed. To "Pivot" the shades you loosen the two metal knobs on either side of the arm, adjust the shades to the desired position and then tighten the metal knobs.

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

*AVAILABLE IN **2** FINISHES

AL-18

SCARLETT Collection

MATTE BLACK



421-2W-PC*-CL
13 1/2" W x 10" H x 6 3/8" EXT
Shown with BB-60-A
(also available in BB-60-LED)



421-1W-SN*-CL
5 1/2" W x 9 1/2" H x 7" EXT
Shown with BB-60-A
(also available in BB-60-LED)



**BP-5: 5 1/2" DIA x 1/4" H
DECORATIVE BACKPLATE**
INCLUDED (as Shown)

POLISHED CHROME

SATIN NICKEL



421-1W-BK*-CL
5 1/2" W x 9 1/2" H x 7" EXT
Shown with BB-60-A
(also available in BB-60-LED)

4 3/4" Clear Glass



AL-19

*AVAILABLE IN **3** FINISHES

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

JUNEAU Collection

MATTE BLACK

POLISHED CHROME

SATIN NICKEL



419-1W-BK*-CL
4 1/2" W x 8" H x 6 1/2" EXT
Shown with BB-60-A
(also available in BB-60-LED)



419-2W-SN*-CL
11 1/4" W x 8" H x 6 1/2" EXT
Shown with BB-60-A
(also available in BB-60-LED)



419-3W-PC*-CL
16 1/2" W x 8" H x 6 1/2" EXT
Shown with BB-60-A (also available in BB-60-LED)


3 1/4" Square Clear Glass

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

*AVAILABLE IN



FINISHES



AL-20

WESTLAKE Collection

MATTE BLACK



445-1W-BK-SDY
5" W x 12 1/4" H x 6 3/4" EXT
Shown with BB-60-A
(also available in BB-60-LED)



445-2W-BK-SDY
13" W x 9" H x 6 3/4" EXT
Shown with BB-60-A (also available in BB-60-LED)



445-3W-BK-SDY
22 1/2" W x 9" H x 6 3/4" EXT
Shown with BB-60-A (also available in BB-60-LED)

4" Diameter Seedy Glass

AL-21



AVAILABLE IN



FINISH

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

TOLLAND Collection

MATTE BLACK

2 GLASS CHOICES - 8", 10" & 12"



12"



612-BK-SDY
12" DIA x 12" H
Fabric Cord Mount
Shown with BB-60-A
(also available in BB-60-LED)

10"



610-BK-W
10" DIA x 10" H
Fabric Cord Mount

8"



608-BK-SDY
8" DIA x 8" H
Fabric Cord Mount
Shown with BB-60-A
(also available in BB-60-LED)

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

AVAILABLE IN



FINISH



AL-22

ADITI Collection

Select your finish and your glass for your exact look

BRUSHED BRASS

MATTE BLACK

POLISHED CHROME

SATIN NICKEL



623-1W-SN*-G52
FRAME: 5 1/2" W x 6 1/2" H x 7" EXT
Shown with BB-60-A (also available in BB-60-LED)



623-2W-PC*-G52
FRAME: 11 1/4" W x 6 1/2" H x 7" EXT
Shown with BB-60-A (also available in BB-60-LED)



623-3W-BK*-G52
FRAME: 20 1/2" W x 6 1/2" H x 7" EXT
Shown with BB-60-A (also available in BB-60-LED)

AL-23



*AVAILABLE IN **4** FINISHES

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

ADITI Collection fits the Franklin glass below:



G51
5" D x 5 3/4" H



G52
5" D x 5 3/4" H



G53
5" D x 5 3/4" H



G54 Seedy
5" D x 5 3/4" H



G58
5" D x 5 3/4" H



G513
5" D x 5 3/4" H



G61
6" D x 6" H



G62
6" D x 6" H



G63
6" D x 6" H



G64 Seedy
6" D x 6" H



G142
6" D x 8" H



G146
6" D x 8" H



G165
6 1/2" D x 8 3/4" H



G171
7" D x 5 1/2" H



G172
7" D x 5 1/2" H



G173
7" D x 5 1/2" H



G181
6" D x 7 1/8" H



G182
6" D x 7 1/8" H



G184 Seedy
6" D x 7 1/8" H



G181S
5 1/4" D x 5 1/2" H



G182S
5 1/4" D x 5 1/2" H



G184S Seedy
5 1/4" D x 5 1/2" H



G191
6" D x 6 1/4" H



G192
6" D x 6 1/4" H



G194 Seedy
6" D x 6 1/4" H



G201-6
6" D x 5" H



G202-6
6" D x 5" H



G204-6 Seedy
6" D x 5" H



G262
6" D x 7 1/2" H



G302
5" D x 6" H



G311
4 1/2" D x 7" H



G312
4 1/2" D x 7" H



G314 Seedy
4 1/2" D x 7" H



G321
6 3/4" D x 5 1/2" H



G322
6 3/4" D x 5 1/2" H



G324 Seedy
6 3/4" D x 5 1/2" H



G531
7 1/2" D x 5 3/4" H



G532
7 1/2" D x 5 3/4" H



G534 Seedy
7 1/2" D x 5 3/4" H

KARIMA Collection

BRUSHED BRASS

MATTE BLACK

POLISHED CHROME

SATIN NICKEL



622-1F-SN*
4 5/8" W x 2 5/8" H
Shown with BB-60-A
(also available in BB-60-LED)




622-1F-PC*
4 5/8" W x 2 5/8" H
Shown with BB-60-A (also
available in BB-60-LED)



622-1W-BK*
4 5/8" W x 8" H x 4" EXT
Shown with BB-7T-LED



622-2W-BB*
4 5/8" W x 8" H x 4" EXT
Shown with BB-12T-LED



MATTE BLACK

POLISHED CHROME

SATIN BRASS

SATIN NICKEL



425-1W-SB*
6 1/2" W x 7 1/4" H x 3" EXT
Shown with BB-10T-LED



425-1W-BK*
6 1/2" W x 7 1/4" H x 3" EXT
Shown with BB-60-A
(also available in BB-60-LED)



425-1W-BK*
6 1/2" W x 7 1/4" H x 3" EXT
Shown with BB-10T-LED



425-1W-SN*
6 1/2" W x 7 1/4" H x 3" EXT
Shown with BB-10T-LED



425-1W-PC*
6 1/2" W x 7 1/4" H x 3" EXT
Shown with BB-10T-LED



100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

*AVAILABLE IN **4** FINISHES

AL-26

HARTFORD Collection


BRUSHED BRASS

MATTE BLACK

POLISHED NICKEL

SATIN GOLD


SATIN NICKEL




654-1P-SN*-7
7" DIA x 9" H




654-1P-SG*-7
7" DIA x 9" H



654-1P-PN*-7
7" DIA x 9" H



654-1P-BK*-7
7" DIA x 9" H



654-1P-BB*-7
7" DIA x 9" H
Fabric Cord Mount

Heavy Metal Spun Shades
5" Diameter Canopy

AL-27



*AVAILABLE IN

5

FINISHES

100 WATT DAMP LOCATION RATED UL/CUL LISTED
LED AND INCANDESCENT BULBS SOLD SEPARATELY. See page 30 for bulb options.

FAIRFIELD Collection


4 GLASS CHOICES - 7"



MIX & MATCH
SELECT ANY GLASS WITH
ANY FINISH HARDWARE



490-1P-SG-G573-7
7" DIA x 9 1/4" H



490-1P-BB-G571-7
7" DIA x 9 1/4" H



490-1P-SN-G572-7
7" DIA x 9 1/4" H



490-1P-PN-G574-7
7" DIA x 9 1/4" H



490-1P-BK-G573-7
7" DIA x 9 1/4" H

4 GLASS CHOICES - 12"



MIX & MATCH
SELECT ANY GLASS WITH
ANY FINISH HARDWARE



491-1P-BK*-G574-12
12" DIA x 15" H



491-1P-SN-G571-12
12" DIA x 15" H



491-1P-BB-G572-12
12" DIA x 15" H




491-1P-PN-G574-12
12" DIA x 15" H



491-1P-SG-G573-12
12" DIA x 15" H

All fixtures shown with BB-60-A bulb



HAMPSHIRE Collection

AC

BB

BK

OB

PC

PN

SG

SN



ADDITIONAL CANOPY INCLUDED



For sheetrock or drop ceiling installations

***FINISHES:**

- AC - Antique Copper
- BB - Brushed Brass
- BK - Matte Black
- OB - Oil Rubbed Bronze
- PC - Polished Chrome
- PN - Polished Nickel
- SG - Satin Gold
- SN - Satin Nickel



198-1P-OB*-BB250LED
10" DIA x 13 1/2" H
CORD MOUNT



198-1P-PN*-BB95LED
3 3/4" DIA x 15 1/2" H
CORD MOUNT




198-1P-SG*-BB125LED
5" DIA x 16 3/4" H
CORD MOUNT



198-1P-AC*-BB164LED
6 1/2" DIA x 17 1/2" H
CORD MOUNT

These fixtures can be ordered with or without bulbs - see page AL-30 for a list of bulbs
5" Diameter Canopy





COLLECTION Index

COLLECTION	NUMBER	PAGE
HAMPSHIRE	198	29
CONCORD	341	1-4
FAIRBANK	342	5-8
SANDS	350	15
SPAN	351	16
PRESS	352	9-10
ICE	353	11-12
COLDEN	354	13-14
PROVIN	370	17-18
JUNEAU	419	20
SCARLETT	421	19
MIA	425	26
WESTLAKE	445	21
FAIRFIELD	490,491	28
TOLLAND	608, 610, 612	22
KARIMA	622	25
ADITI	623	23-24
HARTFORD	654	27

BULB Index

 <p>BB-8T-LED Dims(W x H): 1" x 3 1/2" Wattage: 4W Clear Bulb Color temp: 2700K (kelvin) Color rend: >80 (CRI) Lumens: 350±10% Life expect: 15000H (in hours) Voltage: 120V Bulb type: E12</p>	 <p>BB-10T-LED Dims(W x H): 1 1/8" x 5" Wattage: 6W Clear Bulb Color temp: 2700K (kelvin) Color rend: 90 (CRI) Lumens: 750±10% Life expect: 15000H (in hours) Voltage: 120V Bulb type: E26</p>	 <p>BB-7T-LED Dims(W x H): 1 1/8" x 7 1/4" Wattage: 5W Clear Bulb Color temp: 2700K±100 (kelvin) Color rend: Ra>80 (CRI) Lumens: 500LM±20 Life expect: 15000H (in hours) Voltage: 120V Bulb type: E26</p>	 <p>BB-12T-LED Dims(W x H): 1 1/8" x 11 7/8" Wattage: 5W Clear Bulb Color temp: 2700K±100 (kelvin) Color rend: Ra>80 (CRI) Lumens: 500LM±20 Life expect: >15000H (in hours) Voltage: 120V Bulb type: E26</p>	 <p>BB-60-A Dims(W x H): 2 1/2" x 5 1/2" Wattage: 60W Clear Bulb Color temp: 2700K (kelvin) Color rend: Ra>99.9 (CRI) Lumens: 220±20 Life expect: 20000H (in hours) Voltage: 120V Bulb type: E26</p>
 <p>BB-60-LED Dims(W x H): 2 1/2" x 5 1/2" Wattage: 6W Clear Bulb Color temp: 2700K (kelvin) Color rend: 82 (CRI) Lumens: 600±10% Life expect: 15000H (in hours) Voltage: 120V Bulb type: E26</p>	 <p>BB-60-A19 Dims(W x H): 2 3/4" x 4 1/8" Wattage: 60W Clear Bulb Color temp: 2700K (kelvin) Color rend: >98 (CRI) Lumens: 245±10%LM Life expect: 15000H (in hours) Voltage: 120V Bulb type: A19</p>	 <p>BB-60-A19-LED Dims(W x H): 2 3/4" x 4 1/8" Wattage: 6W Clear Bulb Color temp: 2700K (kelvin) Color rend: 82 (CRI) Lumens: 500 Life expect: 15000H (in hours) Voltage: 120V Bulb type: LED</p>	 <p>BB-60-G25 Dims(W x H): 3 1/8" x 4 5/8" Wattage: 60W Clear Bulb Color temp: 2700K (kelvin) Color rend: Ra>99.9 (CRI) Lumens: 220±100 Life expect: 25000H (in hours) Voltage: 120V Bulb type: E26</p>	 <p>BB-60-G25-LED Dims(W x H): 3 1/8" x 4 5/8" Wattage: 4.8-5.2W Clear Bulb Color temp: 2200K±100 (kelvin) Color rend: Ra>90 (CRI) Lumens: 350-400LM Life expect: 15000H (in hours) Voltage: 120V Bulb type: E26</p>
 <p>BB-95-LED Dims(W x H): 3 3/4" x 8 1/2" Wattage: 6W Clear Bulb Color temp: 2700K±100 (kelvin) Color rend: Ra>80 (CRI) Lumens: 260LM Life expect: >15000H (in hours) Voltage: 120V Bulb type: E26</p>	 <p>BB-125-LED Dims(W x H): 6 1/2" x 9 3/4" Wattage: 6W Clear Bulb Color temp: 2700K±100 (kelvin) Color rend: Ra>80 (CRI) Lumens: 260LM Life expect: >15000H (in hours) Voltage: 120V Bulb type: E26</p>	 <p>BB-164-LED Dims(W x H): 6 1/2" x 11 1/2" Wattage: 6W Clear Bulb Color temp: 2700K±100 (kelvin) Color rend: Ra>80 (CRI) Lumens: 260LM Life expect: >15000H (in hours) Voltage: 120V Bulb type: E26</p>	 <p>BB-250-LED Dims(W x H): 9 7/8" x 7 1/2" Wattage: 6W Clear Bulb Color temp: 2700K±100 (kelvin) Color rend: Ra>80 (CRI) Lumens: 260LM Life expect: >15000H (in hours) Voltage: 120V Bulb type: E26</p>	



Innovations Lighting LLC.
All Designs Copyrighted

Office:
Innovations Lighting
8 John Walsh Blvd.
Suite 318
Peekskill, NY 10566

Warehouse:
Innovations Lighting
60 Backus Ave., Danbury CT 06810

Phone: 914-734-8076
Fax: 413-740-0394

Sales@innovationslighting.com
www.innovationslighting.com

CATALOG AL

\$3